

WYP4474/10

Civic Centre Postal

(03) 9742 0777

Telephone Facsimile Email

(03) 9741 6237 mail@wyndham.vic.gov.au www.wyndham.vic.gov.au

45 Princes Highway, Werribee, Victoria 3030, Australia PO Box 197, Werribee, Victoria 3030, Australia

DX 30258 Werribee Vic ABN: 38 393 903 860

Your Ref:

Our Regth July 2012

Tricia Bryce
The Planning Group
7, 420 St Kilda Road
Melbourne VIC 3004

RECEIVED 1 1 JUL 2012

Dear Tricia,

RE: MEMORANDUM OF COMMON PROVISIONS RIVERWALK ESTATE STAGES 2-4

Planning Permit Application No.:

WYP4474/10

**Description:** 

Riverwalk Estate Subdivision Stages 2-4

Location:

Farm Road

WERRIBEE VIC 3030

V 7854 F 135 P L 1 PS 412756 Mambourin Parish V 10513 F 533 L P PS 401725 Mambourin Parish

I refer to your recent letter, requesting approval of the Memorandum of Common Provisions required under Condition 29 of the Planning Permit.

Please find attached a copy of the endorsed CMP attached.

If you wish to discuss this further, please contact me on telephone 9742 0792, or Dee Gomes, Coordinator Planning Policy and Projects, on telephone 9742 0844.

Regards,

Kristien Van den Bossche

Principal/Planning Projects Officer



Civic Centre Postal

Telephone Facsimile

TTY Email 45 Princes Highway, Werribee, Victoria 3030, Australia PO Box 197, Werribee, Victoria 3030, Australia

(03) 9742 0777

(03) 9741 6237 (03) 9742 0817 mail@wyndharn.vic.gov.au

www.wyndham.vic.gov.au

DX 30258 Werribee Vic ABN 38 393 903 860

WYP4474/10.17

11 November 2013

Places Victoria GPO Box 2428 MELBOURNE VIC 3001



Dear Sir/Madam,

**Planning Permit Application:** 

WYP4474/10.17

Description:

Amendment via Secondary Consent to the building envelopes contained within the Memorandum of Common Provisions for

Stages 3 and 4.

Location:

V 10513 F 533 L P PS 401725 Mambourin Parish

1 Hamlet Street WERRIBEE VIC 3030

I refer to your **amended plans** submitted in accordance with Condition **6** of the above mentioned Planning Permit.

Please find attached a copy of the endorsed documents which now form a part of the Planning Permit.

Should you have any further enquiries regarding the above matter, please contact me on 9742-0930.

Yours faithfully,

Jeannie Mehmet

**Town Planning Officer** 

Encl.

Delivered by LANDATA®. Land Victoria timestamp 14/08/2012 15:18 Page 1 of 24

State of Victoria. This publication is copyright. No part may be reproduced by any process except in accordance with the provisions of the Copyright Act and for the purposes of Section 32 of the Sale of Land Act 1962 or pursuant to a written agreement. The information is only valid at the time and in the form obtained from the LANDATA® System. The State of Victoria accepts no responsibility for any subsequent release, publication or reproduction of the information.

# **Memorandum of Common Provisions**

Section 91A Transfer of Land Act 1958

AA2033
13/07/2012 \$55.10 MC

Lodged by

Name:

**Middletons** 

Phone:

(613) 9205 2000

Address:

Level 25, Rialto South Tower

525 Collins Street

Melbourne VIC 3000

Reference:

MMCK.JTL.10043321 (RW\_2)

**Customer Code:** 

1255H

This memorandum (containing 24 pages) contains provisions which are intended for inclusion in instruments and plans to be subsequently lodged for registration.

# **Provisions**

# Recitals

- A. This MCP has been prepared by Places Victoria in order to regulate the siting, form and design of the residential development in accordance with the requirement to ensure a high level of amenity for owners and residents of the allotments within the Plan of Subdivision.
- B. The provisions of this MCP are incorporated into a restriction created by the Plan of Subdivision.
- C. This MCP provides details of approved building envelopes.
- D. This MCP provides information necessary to interpret the approved building envelopes.
- E. The MCP imposes restrictions on the design and siting of buildings which in some cases may be different to those in the Building Regulations. In some cases the restrictions in this MCP may be stricter than the Building Regulations, and in other cases, the siting restrictions may be contrary to the Building Regulations.
- F. Where the siting restrictions in this MCP are contrary to regulations 409, 411, 414, 415, 416 and 420 of the Building Regulations, no consent and report of the relevant council is required, as this MCP has been prepared with regard to regulation 406 of the Building Regulations.
- G. Some matters addressed in this MCP are not covered by the Building Regulations.

15781010A



- The provisions are to be numbered consecutively from number 1.
- Further pages may be added but each page should be consecutively numbered.
- 3. To be used for the inclusion of provisions in instruments and plans.

Page 1 of 1

### 1. Definitions

- 1.1 'Approved Building Envelope' means the building envelope shown for a particular allotment in the attached Building Envelopes Plan and has the same meaning as in regulation 402 of the Building Regulations.
- 1.2 'Building' has the same meaning as in the Building Act.
- 1.3 'Building Act' means the Building Act 1993 as amended from time to time.
- 1.4 'Building Envelopes Plan' means the plan that forms part of this MCP and which shows the Approved Building Envelopes and other related matters for the lots within the Plan of Subdivision.
- 1.5 'Building Envelope Profiles' means the profile section plans relevant to the Building Envelope. The applicable building envelope profile sections are marked on the Building Envelope Plan.
- 1.6 'Building Permit' means a building permit in terms of the Building Act.
- 1.7 'Building Regulations' means the Building Regulations 2006 or any subsequent regulations made pursuant to the Building Act which regulate the siting of a Building.
- 1.8 'Dwelling' means a building and any associated outbuildings (including garages and carports) used for the purposes of a single domestic residence.
- 1.9 'Finished Surface Level' means the finished surface level of the ground at the time of registration of the Plan of Subdivision.
- 1.10 'Front Street' means the street or road which forms the frontage to the lot concerned. Where there is more than one road which adjoins a lot or where it may otherwise be unclear, the Front Street is identified by the location of the vehicular crossover to the lot on the building envelope plan.
- 1.11 'Garage' means a domestic garage or a domestic carport constructed primarily for the purpose of storage of motor vehicles, trailers, caravans, campervans, boats and the like.
- 1.12 'Habitable Room' has the same meaning as in the Building Code of Australia.
- 1.13 'MCP' means this Memorandum of Common Provisions.



- 1.14 'Plan of Subdivision' means the relevant plan of subdivision for a particular allotment which incorporates this MCP.
- 1.15 'Riverwalk Residential Design Controls' means the Riverwalk Design Standards (and associated referenced documents) prepared by Places Victoria, as amended from time to time.
- 1.16 'Setback' means the shortest horizontal distance from a particular boundary or building to another boundary or building (excepting matters specifically referred to in this MCP).
- 1.17 'Side Street' means a street or road which abuts an allotment other than a Front Street.
- 1.18 'Places Victoria' means the Urban Renewal Authority Victoria created pursuant to the Urban Renewal Authority Victoria Act 2003.

## 2. Siting And Design

2.1 Exemption from the need for the Consent and Report of the relevant Council.

The restriction in the Plan of Subdivision which incorporates this MCP exempts a design from requiring the consent and report of the relevant council with regard to a design which does not comply with the Building Regulations in respect of the following:

- 2.1.1 Minimum Street Setback (regulation 409);
- 2.1.2 Site Coverage (regulation 411);
- 2.1.3 Side Setback and rear Setback (regulation 414);
- 2.1.4 Walls on boundaries (regulation 415);
- 2.1.5 Daylight to existing Habitable Room windows (regulation 416);
- 2.1.5 Daylight to Habitable Room windows (regulation 420).

# 2.2 Approved Building Envelopes

A Building (other than a boundary fence or other specific tolerable encroachments pursuant to this MCP) must be sited within the Approved Building Envelope and Building Envelope Profiles. The siting of a building within the Approved Building Envelope is subject to any further restriction or modification imposed by this MCP or any other applicable control.

**AA2033**13/07/2012 \$55.10 MCP

# 2.3 Building Envelope Profiles

The heights specified with the Building Envelope Profiles are to be taken from the relevant spot "Finished Surface Level" of the site.

Maximum building heights between specified points on a Setback profile lie on a straight line drawn between two specified points within a profile.

The delineation of the profiles is demonstrated on the Building Envelopes plans.

The Building Envelope Profiles are defined only by means of the side Setbacks of the Building Envelope.

Rear Setback are to accord with the specifications outlined in Table 414 of the Building Regulations.

#### 2.4 Minimum Front and Side Street Setbacks

No Dwelling shall be Setback from the Front Street less than 3.0 metres and Side Street less than zero metres.

# 2.5 Encroachments into Front Street Setback

The following may impose beyond the Approved Building Envelope and Building Envelope Profiles and encroach in to a Front Setback by not more than 1.50 metres:

- (a) A porch;
- (b) A verandah;
- (c) A portico;
- (d) A pergola;
- (e) A masonry chimney;
- (f) A sunblind;
- (g) A flue or pipe; and
- (h) Decks, steps or landings less than 800 millimetres in height.

None of the above structures may be greater than 6.5 metres in height.

Eaves (including fascias and gutter) may encroach into a Front Street or Side Street Setback by not more than 500 millimetres provided a 500 millimetre gap is retained between the boundary and gutter.

Domestic water tanks, domestic fuel storage tanks, hot water storage tanks and heating/cooling equipment may encroach into a Front Street or Side Street Setback by not more than 500 millimetres.

#### 2.6 Encroachments into side and rear Setback

- 2.6.1 The following may impose beyond the Approved Building Envelope and Building Envelope Profiles and encroach in to a side or rear Setback by not more than 500 millimetres:
  - (a) A porch or verandah;
  - (b) A masonry chimney;



- (c) A sunblind;
- (d) A screen which prevents direct overlooking;
- (e) A flue or pipe;
- (f) A domestic fuel tank;
- (g) Heating and cooling equipment or other services; and
- (h) An eave (including fascias and gutter).
- 2.6.2 The following may impose beyond the Approved Building Envelope and Building Envelope Profiles and encroach in to a side or rear Setback:
  - (a) A landing with an area of not more than 2.0 metres and which is less than 800 millimetres in height above "Finished Surface Level";
  - (b) An unroofed stairway or ramp;
  - (c) A pergola;
  - (d) Shade sails; and
  - (e) A domestic watertank.

### 2.7 Site Coverage

The site coverage of:

- front loaded buildings must not occupy more than 70% of an allotment; and
- side or rear loaded buildings must not occupy more than 75% of an allotment.

## 2.8 Walls on boundaries

Where a Building Envelope allows construction of a building on the boundary of the lot, a wall or carport on the boundary may have a maximum length equivalent to the length of the envelope abutting the boundary (subject to the Building providing an adequate Garage Setback as required by Clause 2.11). The height of a wall or carport must not exceed a maximum height of 3.6 metres. The average height of a wall or carport may be a maximum of 3.6 metres.

## 2.9 Daylight to Habitable Room windows

A Habitable Room window of a Building on an allotment must face an outdoor space or light court with a minimum dimension of 500 millimetres clear to the sky (not encroached by eaves, fascias and gutters), and not including land on an adjoining allotment.

#### 2.10 Daylight to existing Habitable Room windows

Only where a Building Envelope allows construction on or within 150 millimetres of the boundary may a Building (including eaves, fascias and gutter) be constructed on or within 150 millimetres of the boundary. In this instance only, Buildings do not have to provide a Setback to accommodate a Habitable Room window in an existing Dwelling.



## 2.11 One Dwelling on a lot

With the exception of those lots identified with a \* and ◆ and marked as "Dual Occupancy Site" or "Medium Density Site" on the "Building Envelopes Plan", only one Dwelling may be erected on a lot within the Plan of Subdivision.

# 2.12 Front Street Setback of Garages

A Garage must have a Front Street setback from the street of not less than 5.5 metres.

#### 2.13 Location of Crossovers

The locations of the crossovers are fixed and must not be altered unless explicit consent is granted by Places Victoria or proxy.

#### 2.14 Compliance and Discretion

Places Victoria may in its absolute discretion authorize in writing the siting of a Building which does not comply with the restriction created by the Plan of Subdivision which incorporates this MCP, provided that such siting complies with the requirements of the Building Regulations and / or is subject to the report and consent of the relevant reporting authority in terms of the Building Regulations.

Approval by Places Victoria pursuant to this clause shall only be provided in circumstances where Places Victoria in its absolute discretion considers that the siting is desirable in terms of achieving a better planning outcome in terms of the Riverwalk Residential Design Controls that may otherwise be achieved and will not result in any significant detriment to abutting owners or occupiers.

# 3. Approval Of House Design

The explicit approval of the design and siting of a Dwelling to be built on any lot on the Plan of Subdivision must be granted by Places Victoria (or proxy) prior to making a formal application for a Building Permit. The design and siting of a Dwelling must be in accordance with and meet the requirements of the Riverwalk Residential Design Controls.


#### 4. Interpretation

In this MCP, unless the contrary intention appears:

- 4.1 The singular includes the plural and vice versa;
- 4.2 A reference to an individual or person includes a partnership, body corporate, government authority or agency and vice versa;
- 4.3 Words importing one gender include other genders;
- 4.4 Other grammatical forms of defined words or expressions have corresponding meanings;
- 4.5 A reference to a statute, code or other law includes regulations and other instruments made under it and includes consolidations, amendments, re-enactments or replacements of any of them;

AA2033
13/07/2012 \$55.10 MC

- 4.6 A reference to the Riverwalk Residential Design Controls is reference to that document or subsequent or amended documents (whether they are named as such) that are prepared to guide and control the development of land within the Plan of Subdivision;
- 4.7 A reference to an authority, institution, association or body ('original entity') that has ceased to exist or been reconstituted, renamed or replaced or whose powers or functions have been transferred to another entity, is reference to the entity that most closely serves the purposes or objects of the original entity;
- 4.8 Headings and the provision of a table of contents are for convenience only and do not affect the interpretation of this MCP.





Orawn HT Date 18/04/11
Designed KR
Date 18/04/11
AN Verified Date AN Audited Date AN Approved TL
Date AN Vitten dimensions to take precedence over scale.
Contractor shall check and verify all dimensions on site

TL

TL

BUILDING ENVELOPE (GROUND FLOOR
BUILDING ENVELOPE (FIRST FLOOR)

LOT NUMBER

118

BUILDING ENVELOPE (FIRST FLOOR INCLINE)

2 METRE WIDE EASEMENT

3 METRE WIDE EASEMENT


3 SETBACK
CONSTRU

MEDIUM DENSITY SITE

SETBACK MINIMUM REQUIRED (IF 0, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET)

DUAL OCCUPANCY SITE

MINIMUM 2 STOREY REQUIREMENT








BUILDING ENVELOPES PLAN

Drawing No. 10903BE01 Rev E

O Dalton Consulting Engineers Pty Ltd



255 Whitehorse Road PO Box 349 T 81 3 9888 688 F 61 3 9888 688 E info@dceprofile.com



Plan/Document As Required

under Condition . 29

Permit WYP 4474/10

Signature for the Responsible Authority

NOT TO BE USED FOR

CONSTRUCTION
ADDITIONAL CLIENT COMMENTS ADDITIONAL CLIENT COMMENTS C CLIENT COMMENTS ISSUED FOR CLIENT APPROVAL

22/08/11 TL 16/06/11 02/05/11 TL A ISSUED FOR COUNCIL APPROVAL

118 LOT NUMBER

BUILDING ENVELOPE (FIRST FLOOR)

BUILDING ENVELOPE (FIRST FLOOR INCLINE) 2 METRE WIDE EASEMENT 3 METRE WIDE EASEMENT



SETBACK MINIMUM REQUIRED (IF 0, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET)



MEDIUM DENSITY SITE

DESIGNATED VEHICLE CROSSOVER TO LOT (NO OTHER VEHICULAR ACCESS POINT IS PERMITTED TO A LOT, EXCEPT WITH THE APPROVAL OF VICURBAN AND WYNDHAM CITY COUNCIL.




Places Victoria
RIVERWALK - STAGE 2 GEELONG ROAD, WERRIBEE BUILDING ENVELOPES

> Drawing No. 10903BE02 Rev E Sheet No. 02 PRELIMINARY

O Dalton Consulting Engineers Pty Ltd







TL 16/06/1 TL ISSUED FOR CLIENT APPROVAL A ISSUED FOR COUNCIL APPROVAL

3 METRE WIDE EASEMENT


118

BUILDING ENVELOPE (FIRST FLOOR INCLINE)

SETBACK MINIMUM REQUIRED (IF 0, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET)

MEDIUM DENSITY SITE










Drawing No. 10903BE03 Rev E 6m Sheet No. 03 PRELIMINARY

O Dalton Consulting Engineers Pty Ltd












Drawn HT Date 18/04/11
Designed KR
Date 18/04/11
AN Verified Date AN Audited Date AN Approved TL
Date AN Written dimensions to take precedence over scale.
Contractor shall check and verify all dimensions on site.

BUILDING ENVELOPE (GROUND FLOOR)



BUILDING ENVELOPE (FIRST FLOOR INCLINE) 2 METRE WIDE EASEMENT 3 METRE WIDE EASEMENT 118 LOT NUMBER



SETBACK MINIMUM REQUIRED (IF 0, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET)

MEDIUM DENSITY SITE




MINIMUM 2 STOREY
REQUIREMENT DESIGNATED VEHICLE CROSSOVER TO LOT INO OTHER VEHICULAR ACCESS POINT IS PERMITTED TO A LOT, EXCEPT WITH THE APPROVAL OF VICURBAN AND WYNDHAM CITY COUNCIL











Plan/Document As Required

under Condition ....29

Permit Wy 4474 10

Signature for the Responsible Authority

NOT TO BE USED FOR CONSTRUCTION ADDITIONAL CLIENT COMMENTS D ADDITIONAL CLIENT COMMENTS C CLIENT COMMENTS B ISSUED FOR CLIENT APPROVAL 02/05/11 A ISSUED FOR COUNCIL APPROVAL


Drawn HT Date 18/04/11
Designed KR
Date 18/04/11
AN Verified Date AN Audited Date AN Approved TL
Date AN Witten dimensions to take precedence over scale.
Contractor shall check and verify all dimensions on site.

118

BUILDING ENVELOPE (FIRST FLOOR INCLINE)

3 METRE WIDE EASEMENT

LOT NUMBER



MEDIUM DENSITY SITE






Drawing No. 10903BE06 Rev E Sheet No. 06 PRELIMINARY

O Dalton Consulting Engineers Pty Ltd





Plan/Document As Required

under Condition ... 29

Signature for the Responsible Authority

NOT TO BE USED FOR

CONSTRUCTION ADDITIONAL CLIENT COMMENTS

D ADDITIONAL CLIENT COMMENTS CLIENT COMMENTS ISSUED FOR CLIENT APPROVAL

ISSUED FOR COUNCIL APPROVAL

TL

118

BUILDING ENVELOPE (GROUND FLOOR)

BUILDING ENVELOPE (FIRST FLOOR INCLINE) 3 METRE WIDE EASEMENT



SETBACK MINIMUM REQUIRED (IF 0, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET)



DESIGNATED VEHICLE CROSSOVER TO LOT (NO OTHER VEHICULAR ACCESS POINT IS PERMITTED TO A LOT, EXCEPT WITH THE APPROVAL OF VICURBAN AND WYNDHAM CITY COUNCIL



MEDIUM DENSITY SITE



Places Victoria
RIVERWALK - STAGE 2 GEELONG ROAD, WERRIBEE **BUILDING ENVELOPES** 

Drawing No. 10903BE07 Rev E 6m Sheet No. 07 PRELIMINARY © Dalton Consulting Engineers Pty Ltd




#### **TIMBARRA DRIVE (1A)** E E A B E (B) E A 3 4.00 14.00 145 146 147 Planding and Environment Act 1987 Wyndham Planning Scheme 144 Plan/Document As Required under Condition ........ Permit WYD 44 10 Signature for the Responsible Authority 20.10 4.70 4.70 4.70-Places Victoria RIVERWALK - STAGE 2 NOT TO BE USED FOR SETBACK MINIMUM REQUIRED (IF 0, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET) BUILDING ENVELOPE (GROUND FLOOR) CONSTRUCTION ADDITIONAL CLIENT COMMENTS BUILDING ENVELOPE (FIRST FLOOR) GEELONG ROAD, WERRIBEE DUAL OCCUPANCY SITE **BUILDING ENVELOPES** ADDITIONAL CLIENT COMMENTS BUILDING ENVELOPE (FIRST FLOOR INCLINE) DESIGNATED VEHICLE CROSSOVER TO LOT IND OTHER VEHICULAR ACCESS POINT IS PERMITTED TO A LOT. EXCEPT WITH THE APPROVAL OF VICURBAN AND WYNDHAM CITY COURSE. CLIENT COMMENTS Drawing No. 10903BE08 Rev E Levels: AHD ISSUED FOR CLIENT APPROVAL WYNDHAM CITY COUNCIL 6m Sheet No. 08 PRELIMINARY 255 Whitehorse Road PO Box 349 Balwyn Victoria 3103 3 METRE WIDE EASEMENT ISSUED FOR COUNCIL APPROVAL TL


MEDIUM DENSITY SITE

O Dalton Consulting Engineers Pty Ltd

Carla @ 04/02 4:400/4:200

118





Plan/Document As Required

under Condition ... 29

Permit WYP 4474/10

Signature for the Responsible Authority

NOT	TO	BE	USED	FOR	
C	ONIS	STR	LICTIC	M	


E ADDITIONAL CLIENT COMMENTS D ADDITIONAL CLIENT COMMENTS C CLIENT COMMENTS B ISSUED FOR CLIENT APPROVAL


Places Victoria
RIVERWALK - STAGE 2 GEELONG ROAD, WERRIBEE **BUILDING ENVELOPES** 


Drawing No. 10903BE10 Rev E
Sheet No. 10 PRELIMINARY



dalton consulting engineers







#### **CHARTER ROAD (3A)**

NOT TO BE USED FOR CONSTRUCTION
ADDITIONAL CLIENT COMMENTS ADDITIONAL CLIENT COMMENTS CLIENT COMMENTS B ISSUED FOR CLIENT APPROVAL TL ISSUED FOR COUNCIL APPROVAL

Drawn HT Date 18/04/11
Designed KR
Date 18/04/11
AN Verified Date AN Audited Date AN AN Audited Date AN AN APProved TL

BUILDING ENVELOPE (GROUND FLOOR)

118


BUILDING ENVELOPE (FIRST FLOOR)

LOT NUMBER


BUILDING ENVELOPE (FIRST FLOOR INCLINE) 2 METRE WIDE EASEMENT



MINIMUM 2 STOREY
REQUIREMENT



MEDIUM DENSITY SITE






Places Victoria GEELONG ROAD, WERRIBEE BUILDING ENVELOPES

Drawing No. 10903BE12 Rev E Sheet No. 12 PRELIMINARY O Dalton Consulting Engineers Pty Ltd





Plan/Document As Required

under Condition ... a g

NOT TO BE USED FOR

CONSTRUCTION ADDITIONAL CLIENT COMMENTS

D ADDITIONAL CLIENT COMMENTS

C CLIENT COMMENTS B ISSUED FOR CLIENT APPROVAL

A ISSUED FOR COUNCIL APPROVAL

02/05/1

Drawn HT Date 18/04/11
Designed KR
Date 18/04/11
AN Verified Date AN Audited Date AN Approved TL
Date AN AN Availant AN Approved TL
Date AN AN AN AN AN And An And -

118

LOT NUMBER

BUILDING ENVELOPE (FIRST FLOOR INCLINE) 2 METRE WIDE EASEMENT 3 METRE WIDE EASEMENT



SETBACK MINIMUM REQUIRED (IF 0, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET)



DUAL OCCUPANCY SITE DESIGNATED VEHICLE CROSSOVER TO LOT INO OTHER VEHICULAR ACCESS POINT IS PERMITTED TO A LOT, EXCEPT WITH THE APPROVAL OF VICURBAN AND WYNDHAM CITY COUNCIL






Places Victoria
RIVERWALK - STAGE 2 GEELONG ROAD, WERRIBEE BUILDING ENVELOPES

Dalton Consulting Engineers Pty Ltd

Drawing No. 10903BE13 Rev E Sheet No. 13 PRELIMINARY

dalton consulting engineers

#### **CHARTER ROAD (3A)**



Planning and Environment Act 1987 Wyndham Planning Scheme

Plan/Document As Required

under Condition ... 29

Signature for the Responsible Authority

NOT TO BE USED FOR CONSTRUCTION ADDITIONAL CLIENT COMMENTS D ADDITIONAL CLIENT COMMENTS 22/08/11 C CLIENT COMMENTS 16/06/11 02/05/11 B ISSUED FOR CLIENT APPROVAL

A ISSUED FOR COUNCIL APPROVAL

TL

/11

118

BUILDING ENVELOPE (GROUND FLOOR) BUILDING ENVELOPE (FIRST FLOOR) BUILDING ENVELOPE (FIRST FLOOR INCLINE)

3 METRE WIDE EASEMENT

MEDIUM DENSITY SITE

SETBACK MINIMUM REQUIRED (IF 0, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET) DUAL OCCUPANCY SITE DESIGNATED VEHICLE CROSSOVER TO LOT (NO OTHER VEHICULAR ACCESS POINT IS PERMITTED TO A LOT, EXCEPT WITH THE APPROVAL OF VICURBAN AND WYNDHAM CITY COUNCIL




Places Victoria
RIVERWALK - STAGE 2 GEELONG ROAD, WERRIBEE **BUILDING ENVELOPES** 


Drawing No. 10903BE14 Rev E 6m Sheet No. 14 PRELIMINARY

O Dalton Consulting Engineers Pty Ltd



#### **CHARTER ROAD (3A)**





	NOT TO BE USED FOR		
E	CONSTRUCTION ADDITIONAL CLIENT COMMENTS	24/08/11	TL
D	ADDITIONAL CLIENT COMMENTS	22/08/11	TL
С	CLIENT COMMENTS	16/06/11	TL
В	ISSUED FOR CLIENT APPROVAL	02/05/11	TL
Α	ISSUED FOR COUNCIL APPROVAL	/11	TL
· []	AMENIDMENTO	DATE	V DD.L

Drawn HT Date 18/04/11
Designed KR
Date 18/04/11
AN Verified Date AN Audited Date AN Approved TL
Date AN AN Contractor shall check and verify all dimensions on site.

118

BUILDING ENVELOPE (GROUND FLOOR) BUILDING ENVELOPE (FIRST FLOOR)

BUILDING ENVELOPE (FIRST FLOOR INCLINE) 3 METRE WIDE EASEMENT



SETBACK MINIMUM REQUIRED (IF 0, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET) DUAL OCCUPANCY SITE

MEDIUM DENSITY SITE

DESIGNATED VEHICLE CROSSOVER TO LOT (NO OTHER VEHICULAR ACCESS POINT IS PERMITTED TO A LOT, EXCEPT WITH THE APPROVAL OF VICURBAN AND WYNDHAM CITY COUNCIL



C--I- @ A4/A2 4.400/4.200


Places Victoria
RIVERWALK - STAGE 2 GEELONG ROAD, WERRIBEE **BUILDING ENVELOPES** 

Drawing No. 10903BE15 Rev E 6m Sheet No. 15 PRELIMINARY

O Dalton Consulting Engineers Pty Ltd



dalton consulting engineers



Plan/Document As Required

remitaryp 4474 10 Signature for the Responsible Authority



TL 22/08/1 CLIENT COMMENTS ISSUED FOR CLIENT APPROVAL 02/05/11 A ISSUED FOR COUNCIL APPROVAL /11

Drawn HT Date 18/04/11
Designed KR
Date 18/04/11
AN Verified Date AN Audited Date AN Approved TL
Date AN AN Whitten dimensions to take precedence over scale.
Contractor shall check and varify all dimensions on site.


118

BUILDING ENVELOPE (GROUND FLOOR) BUILDING ENVELOPE (FIRST FLOOR)

BUILDING ENVELOPE (FIRST FLOOR INCLINE) 3 METRE WIDE EASEMENT



SETBACK MINIMUM REQUIRED (IF 8, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET)



MEDIUM DENSITY SITE

MINIMUM 2 STOREY
REQUIREMENT DESIGNATED VEHICLE CROSSOVER TO LOT NO OTHER VEHICULAR ACCESS POINT IS PERMITTED TO A OTHER EXCEPT WITH THE APPROVAL OF VICURBAN AND WYNDHAM CITY COUNCIL







Drawing No. 10903BE16 Rev E Sheet No. 16 PRELIMINARY


O Dalton Consulting Engineers Pty Ltd




dalton consulting engineers









Plan/Document As Required

under Condition .. 29

ermitwys 4474/1

Signature for the Responsible Authority

NOT TO BE USED FOR
CONSTRUCTION
ADDITIONAL CLIENT COMMENTS

D ADDITIONAL CLIENT COMMENTS

C CLIENT COMMENTS
B ISSUED FOR CLIENT APPROVAL

ISSUED FOR COUNCIL APPROVAL

AMERICANISTS

Drawn HT Date 18/04/11
Designed KR
Date 18/04/11
AN Verified Date AN Audited Date AN Approved TL
Date AN Written dimensions to take precedence over scale.
Contractor shall check and verify all dimensions on site.

/11

Coords: MGA Levels: AHD

Coords: MGA
Levels: AHD

Hor 1:100 0m 1m 2m 4m 6m Sheet No. 17 PRELIMINARY

© Delton Consulting Engineers Pty Ltd


Places Victoria
RIVERWALK - STAGE 2
GEELONG ROAD, WERRIBEE
BUILDING ENVELOPES PROFILES


Drawing No. 10903BE17 Rev E





255 Whitehorse Road PO Box 349

T 81 3 9888 8888 F 81 3 9888 8880 E info@dceprofile.com









2 METRE WESE EASCMENT 3 METRE WICK EASCMENT LOT MAMBER CONSTRUCTION

LE ADDITIONAL QUENT COMMENTS


DI AUENT COMMENTS


1 ESSUED FOR COMMENTS


**AA2033** 


13/07/2012

\$55.10












PAGE 15




PAGE 16








PALLE 18


43/07/2012 \$5.10 MCP | 13/07/2012 | 155.10 MCP | 13/07/2012 | 155.10 MCP | 13/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/2012 | 15/07/20
















**3** <u>(iii)</u> BOUNITFUL STREET (3C) <u>(a)</u> (1)






9.0

## 13/07/2012 TITLE BOUNDARY 3.6 YAAQNUOB 31III 3.6 9.0 6.9 9.0 9.0 9.0 9.0 6.9 6.9 6.9 3.6 3.6 ΥΠΑΤΙΤΕΕ ΒΟυνήΦΑΡΥ TITLE BOUNDARY TITLE BOUNDARY 2.0 9.0 6.9 9.0 YAAфиUOB BJTIT BOUNDARY/PARTY WALL 5, YRAGNUDARY 1978



**AA2033** 




AMENDED AS PER VIC URBAN COMMENTS

DATE APP'D.

118 LOT NUMBER

DESIGNATES VEHICLE CROSSOVER TO LOT INO OTHER VEHICLEAR ACCESS POINT IS PERMITTED TO A LOT, EXCEPT WITH THE APPROVAL OF PLACES VICTORIA AND WYNDHAM CITY COLNICIL

Drawing No. 10904BE01 Rev D T Sheet No. D1 PRELIMINARY Delton Consulting Engineers Pty Ltd




AMENDED AS PER VIC URBAN COMMENTS ISSUED FOR DISCUSSION AMENDMENTS

3 METRE WIDE EASEMENT 118 LOT NUMBER



Drawing No. 10904BE02 Rev C 6m Sheet No. 02 PRELIMINARY Dalton Consulting Engineers Pty Ltd



AREA 2

Planning and Environment Act 1987 Wyndham Planning Scheme

Permit WYP 4474 10.17

Issued on 2/3/11

NOT TO BE USED FOR CONSTRUCTION

UPDATED LOT 172 VERTICAL PROFILE LETTER TL AMENDED AS PER VIC URBAN COMMENTS ISSUED FOR DISCUSSION AMENDMENTS

118

BUILDING ENVELOPE (GROUND FLOOR)

3 METRE WIDE EASEMENT LOT NUMBER



SETBACK MINHUM REQUIRED (IF 0, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET)

DUAL DEELPANCY SITE

DESIGNATED VEHICLE CROSSOVER TO LOT (NO DTHER VEHICULAR ACCESS POINT IS PERMITTED TO A LOT, EXCEPT WITH THE APPROVAL OF PLACES VICTORIA AND WYNDHAM SITY COUNCIL



Places Victoria RIVERWALK - STAGE 3 GEELONG ROAD, WERRIBEE **BUILDING ENVELOPES PLAN** 

Drawing No. 10904BE03 Rev D Sheet No. 03 PRELIMINARY Dolton Consulting Engineers Pty Ltd



dalton consulting engineers

**ADVENT** ROAD (3A) (D) (D) 2 2 (3C)STREET 178 186 ABUNDANT (A) Planning and Environment Act 1987 AREA 3 Wyndham Planning Scheme Amended Plan ... 16 of 19 Permit WYP 447410.17 Issued on  $\frac{2}{3}$ Signature for the Responsible Authority Places Victoria SETBAEK MINIMUM REQUIREB IF B, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET) NOT TO BE USED FOR BUILDING ENVELOPE (GROUND FLOOR) RIVERWALK - STAGE 3 CONSTRUCTION BUILDING ENVELOPE (FIRST FLOOR) GEELONG ROAD, WERRIBEE **BUILDING ENVELOPES PLAN** 

DESIGNATED VEHICLE CROSSOVER TB LOT IND BIHER VEHICULAR ACCESS POINT IS PERHITTED TO A LOT, EXCEPT WITH THE APPROVAL OF PLACES VICTBRIA AND WYNOHAM CITY COUNCIL

118

LOT NUMBER

dalton consulting engineers

Drawing No. 10904BE04 Rev A Sheet No. 04 PRELIMINARY


Dalton Consulting Engineers Pty Ltd

Scale @ A1/A3

Deering File G-(Despecial) (0005), (0064-filewant Stage J (Acat)/ID), (chauters are a stockers.

AMENDEO, SHEET ADDED

AMENDMENTS



AMENDMENTS

T 61 3 9886 6896 F 01 3 9888 0890 E infoftdesprofile.com W www.desprofile.com



CONSTRUCTION AMENDED: SHEET ADDED TL AMENDED AS PER VIC URBAN COMMENTS 14/07/11 ISSUED FOR DISCUSSION AMENDMENTS DATE APP'D.

AN
Approved Date AN
Writins dimensions to lake precedence over scale,
Coefescore shall check and variety all diresessions on size
Discrepencies to be brought to the attention of the Supe

118

LOT NUMBER



DEAL OCCUPANCY SITE

DESIGNATED VEHICLE CROSSOVER TO LDT (NO OTHER VEHICULAR ACCESS POINT IS PERHITTED TO A LDT, EXCEPT WITH THE APPROVAL OF PLACES VICTORIA AND WYNOHAM CITY COUNCIL



Scale @ A1/A3

GEELONG ROAD, WERRIBEE BUILDING ENVELOPES PLAN


Drawing No. 10904BE06 Rev C Sheet No. 06 PRELIMINARY


Dalton Consulting Engineers Pty Ltd





PS5 Whitehorse Road PC Box 348 Bolwyn Victoria 3103 Austrolia


T 61 3 9888 8888 F 61 3 9888 0890 E zriotickoprofile.com W www.dooprofile.com




















Planning and Environment Act 1987 Wyndham Planning Scheme

Permit WYP 4474/10:17

Issued on 2/3 Signature for the Responsible Authority


RE	ISSUED FOR DISCUSSION  AMENDMENTS	13/07/11 DATE	TL APP'D
, 8	AMENDED AS PER VIC URBAN COMMENTS	14/07/11	TL
C	AMENDED: SHEET ADDED	24/04/12	TL
0	TO REVISED	26/00/13	TL
	NOT TO BE USED FOR CONSTRUCTION		

Drawn HT
Designed
Date AN
Verified
Date AN
Audited
Date AN
Approve:
Date AN AN
Whites dimensions to take precedence over scale,
Contractor shall check and verify all dimensions on site.
Discrepancies to be brought to the attention of the Supr

BUILDING ENVELOPE (GROUND FLOOR)



BUILDING ENVELOPE (FIRST FLOOR INCLINE)



Places Victoria GEELONG ROAD, WERRIBEE **BUILDING ENVELOPES PLAN** 

Drawing No. 10904BE07 Rev D Sheet No. 07 PRELIMINARY Dalton Consulting Engineers Pty Ltd

