Memorandum of common provision Section 91A Transfer of Land Act 1958	PLANNING AND ENVIR ONMENT ACT CONDITION OF PERMIT PLANNING AND ENVIR ONMENT ACT CONDITION OF PERMIT ONMENT ACT CONDITION OF PERMIT ONMENT ACT CONDITION OF PERMIT ON THE P
Lodged by Name:	WYNDHAM CITY COUNCIL Date: 14 March 2019
Phone:	
Address:	
Reference:	
Customer code:	

This memorandum contains provisions which are intended for inclusion in instruments and plans to be subsequently lodged for registration.

## **Provisions:**

## **RECITALS**

- A. This MCP has been prepared by Development Victoria in order to regulate the siting, form and design of the residential development in accordance with the requirement to ensure a high level of amenity for owners and residents of the allotments within the Plan of Subdivision.
- B. The provisions of this MCP are incorporated into a restriction created by the Plan of Subdivision being PS 820862U known as Stage 24 of the Riverwalk Estate, Werribee.
- C. This MCP provides details of approved building envelopes.
- D. This MCP provides information necessary to interpret the approved building envelopes.
- E. The MCP imposes restrictions on the design and siting of buildings which in some cases may be different to those in the Building Regulations. In some cases the restrictions in this MCP may be stricter than the Building Regulations, and in other cases, the siting restrictions may be contrary to the Building Regulations.
- F. Where the siting restrictions in this MCP are contrary to regulations 409, 411, 414, 415, 416 and 420 of the Building Regulations, no consent and report of the relevant council is required, as this MCP has been prepared with regard to regulation 406 of the Building Regulations.
- G. Some matters addressed in this MCP are not covered by the Building Regulations.

# 1. **DEFINITIONS**

- 1.1 'Approved Building Envelope' means the building envelope shown for a particular allotment in the attached Building Envelopes Plan and has the same meaning as in regulation 402 of the Building Regulations.
- **1.2 'Building'** has the same meaning as in the Building Act.
- **1.3 'Building Act'** means the Building Act 1993 as amended from time to time.
- **1.4 'Building Envelopes Plan'** means the plan that forms part of this MCP and which shows the Approved Building Envelopes and other related matters for the lots within the Plan of Subdivision.

35271702A V3

- 1. The provisions are to be numbered consecutively from number 1.
- 2. Further pages may be added but each page should be consecutively numbered.
- 3. To be used for the inclusion of provisions in instruments and plans.

## 91ATLA

Page 1 of 6

## THE BACK OF THIS FORM MUST NOT BE USED

Land Use Victoria contact details: see www.delwp.vic.gov.au/property>Contact us

Memorandum of common provision Plan / DOCUMENT AS REQUIRED UNDER CONDITION OF PERMIT WYNDHAM PLANNING SCHEME

V3

Permit No: WYP10168/17.08

Condition No: 5

1.5 'Building Envelope Profiles' means the profile section plans relevant to the Building Envelope. The applicable building envelope profile sections are marked on the Building Envelope Plan.

- 'Building Permit' means a building permit/ http://www.cometermit' means a building permit/ 1.6
- 'Building Regulations' means the Building Regulations 2006 or any subsequent regulations made 1.7 pursuant to the Building Act which regulate the siting of a Building.
- 1.8 'Dwelling' means a building and any associated outbuildings (including garages and carports) used for the purposes of a single domestic residence.
- 'Finished Surface Level' means the finished surface level of the ground at the time of registration 1.9 of the Plan of Subdivision.
- 'Front Street' means the street or road which forms the frontage to the lot concerned. Where there 1.10 is more than one road which adjoins a lot or where it may otherwise be unclear, the Front Street is identified by the location of the vehicular crossover to the lot on the building envelope plan.
- 'Garage' means a domestic garage or a domestic carport constructed primarily for the purpose of 1.11 storage of motor vehicles, trailers, caravans, campervans, boats and the like.
- 'Habitable Room' has the same meaning as in the Building Code of Australia. 1.12
- 'MCP' means this Memorandum of Common Provisions. 1.13
- 'Plan of Subdivision' means the relevant plan of subdivision for a particular allotment which 1.14 incorporates this MCP.
- 'Riverwalk Residential Design Controls' means the Riverwalk Design Standards (and 1.15 associated referenced documents) prepared by Development Victoria, as amended from time to time.
- 'Setback' means the shortest horizontal distance from a particular boundary or building to another 1.16 boundary or building (excepting matters specifically referred to in this MCP).
- 'Side Street' means a street or road which abuts an allotment other than a Front Street. 1.17
- 'Development Victoria' means Development Victoria created pursuant to the Development 1.18 Victoria Act 2003.

### SITING AND DESIGN 2.

2.1 Exemption from the need for the Consent and Report of the relevant Council.

The restriction in the Plan of Subdivision which incorporates this MCP exempts a design from requiring the consent and report of the relevant council with regard to a design which does not comply with the Building Regulations in respect of the following:

- 2.1.1 Minimum Street Setback (regulation 409);
- 2.1.2 Site Coverage (regulation 411);
- 2.1.3 Side Setback and rear Setback (regulation 414);
- 2.1.4 Walls on boundaries (regulation 415);
- 2.1.5 Daylight to existing Habitable Room windows (regulation 416);
- 2.1.6 Daylight to Habitable Room windows (regulation 420).

91ATLA

Memorandum of common provision Plan / DOCUMENT AS REQUIRED UNDER CONDITION OF PERMIT WYNDHAM PLANNING SCHEME

Permit No: WYP10168/17.08

Condition No: 5 Sheet: 3 of 53

2.2 **Approved Building Envelopes** 

Approved by: Benny Singh

A Building (other than a boundary fence of the specific tolerable encroachments pursuant to this MCP) must be sited within the Approved Building Envelope Profiles. The siting of a building within the Approved Building Envelope is subject to any further restriction or modification imposed by this MCP or any other applicable control.

## 2.3 **Building Envelope Profiles**

The heights specified with the Building Envelope Profiles are to be taken from the relevant spot "Finished Surface Level" of the site. Maximum building heights between specified points on a Setback profile lie on a straight line drawn between two specified points within a profile. The delineation of the profiles is demonstrated on the Building Envelopes plans. The Building Envelope Profiles are defined only by means of the side Setbacks of the Building Envelope. Rear Setback are to accord with the specifications outlined in Table 414 of the Building Regulations.

### 2.4 Minimum Front and Side Street Setbacks

No Dwelling shall be Setback from the Front Street less than 3.0 metres and Side Street less than 2.0 metres, unless otherwise reflected on the Approved Building Envelope.

### 2.5 **Encroachments into Front Street Setback**

The following may impose beyond the Approved Building Envelope and Building Envelope Profiles and encroach in to a Front Setback by not more than 1.50 metres:

- (a) An eave (including fascias & gutter);
- (b) A porch;
- (c) A verandah;
- (d) A portico;
- (e) A pergola;
- (f) A masonry chimney;
- (g) A sunblind;
- (h) A flue or pipe; and
- (i) Decks, steps or landings less than 800 millimetres in height.

None of the above structures may be greater than 3.6 metres in height.

### **Encroachments into side and rear Setback** 2.6

- The following may impose beyond the Approved Building Envelope and Building Envelope Profiles and encroach in to a side or rear Setback by not more than 500 millimetres:
  - (a) A porch or verandah;
  - (b) A masonry chimney;
  - (c) A sunblind;
  - (d) A screen which prevents direct overlooking;

91ATLA V3

Memorandum of common provision PLAN / DOCUMENT AS REQUIRED UNDER CONDITION OF PERMIT

WYNDHAM PLANNING SCHEME

Permit No: WYP10168/17.08

Condition No: 5

Sheet: 4 of 53

Approved by: Benny Singh (g) Heating and cooling equipment or other services; and Date: 14 March 2019

(h) An eave (including fascias and gutter).

## 2.6.2 The following may impose beyond the Approved Building Envelope and Building Envelope Profiles and encroach in to a side or rear Setback:

- (a) A landing with an area of not more than 2.0 metres and which is less than 800 millimetres in height above "Finished Surface Level";
- (b) An unroofed stairway or ramp;
- (c) A pergola;

(e) A flue or pipe;

(f) A domestic fuel tank:

- (d) Shade sails; and
- (e) A domestic watertank.

## 2.7 Site Coverage

The site coverage of:

- front loaded buildings must not occupy more than 70% of an allotment; and
- side or rear loaded buildings must not occupy more than 75% of an allotment.

## Walls on boundaries 2.8

Where a Building Envelope allows construction of a building on the boundary of the lot, a wall or carport on the boundary may have a maximum length equivalent to the length of the envelope abutting the boundary (subject to the Building providing an adequate Garage Setback as required by Clause 2.12). The height of a wall or carport must not exceed a maximum height of 3.6 metres. The average height of a wall or carport may be a maximum of 3.6 metres.

## 2.9 **Daylight to Habitable Room windows**

A Habitable Room window of a Building on an allotment must face an outdoor space or light court with a minimum dimension of 1.0 metre clear to the sky (not encroached by eaves, fascias and gutters), and not including land on an adjoining allotment.

## 2.10 **Daylight to existing Habitable Room windows**

Only where a Building Envelope allows construction on or within 150 millimetres of the boundary may a Building (including eaves, fascias and gutter) be constructed on or within 150 millimetres of the boundary. In this instance only, Buildings do not have to provide a Setback to accommodate a Habitable Room window in an existing Dwelling.

91ATLA V3

Memorandum of common provision PLAN / DOCUMENT AS REQUIRED UNDER CONDITION OF PERMIT WYNDHAM PLANNING SCHEME

Permit No: WYP10168/17.08

Condition No: 5 Sheet: 5 of 53

2.11 One Dwelling on a lot

Approved by: Benny Singh

"Medium Density Site" on the "Building Envelopes Plan", only one Dwelling may be erected on a lot within the Plan of Subdivision.

## 2.12 **Minimum Garage Setbacks**

A Garage on a lot, must be setback not less than 5.5 metres from the front boundary of the lot measured from the centrepoint of the garage to the centrepoint of the crossover, unless otherwise stated below.

On a corner lot that provides for garage access to the side street, a double Garage must be setback at least 2 metres measured from the centrepoint of the garage to the centrepoint of the crossover and a single Garage must be setback at least 5.5 metres measured from the centrepoint of the garage to the centrepoint of the crossover.

### **Location of Crossovers** 2.13

The locations of the crossovers are fixed and must not be altered unless explicit consent is granted by Development Victoria or proxy.

## 2.14 **Compliance and Discretion**

Development Victoria or Wyndham City Council may authorize in writing the siting of a Building which does not comply with the restriction created by the Plan of Subdivision which incorporates this MCP, provided that such siting complies with the requirements of the Building Regulations and / or is subject to the report and consent of the relevant reporting authority in terms of the Building Regulations. Approval pursuant to this clause shall only be provided in circumstances where Development Victoria or Wyndham City Council considers that the siting is desirable in terms of achieving a better planning outcome in terms of the Riverwalk Residential Design Controls that may otherwise be achieved and will not result in any significant detriment to abutting owners or occupiers.

### 2.15 **Developer Fencing**

Development Victoria will provide side fencing facing Geelong Road to lots 2401, 2444, 2445, 2470, 2472 & 2477.

## 3. APPROVAL OF HOUSE DESIGN

The explicit approval of the design and siting of a Dwelling to be built on any lot on the Plan of Subdivision PS 820862U must be granted by Development Victoria (or proxy) prior to making a formal application for a Building Permit. The design and siting of a Dwelling must be in accordance with and meet the requirements of the Riverwalk Residential Design Controls.

91ATLA V3

Memorandum of common provision Plan / DOCUMENT AS REQUIRED UNDER CONDITION OF PERMIT

WYNDHAM PLANNING SCHEME

Permit No: WYP10168/17.08

Condition No: 5


Sheet: 6 of 53 Approved by: Benny Singh

In this MCP, unless the contrary intention appear AWYNDHAM CITY COUNCIL

INTERPRETATION

The singular includes the plural an the 1/e March 2019 4.1

- 4.2 A reference to an individual or person includes a partnership, body corporate, government authority or agency and vice versa;
- 4.3 Words importing one gender include other genders;
- 4.4 Other grammatical forms of defined words or expressions have corresponding meanings;
- 4.5 A reference to a statute, code or other law includes regulations and other instruments made under it and includes consolidations, amendments, re-enactments or replacements of any of them;
- 4.6 A reference to the Riverwalk Residential Design Controls is reference to that document or subsequent or amended documents (whether they are named as such) that are prepared to guide and control the development of land within the Plan of Subdivision;
- A reference to an authority, institution, association or body ('original entity') that has ceased 4.7 to exist or been reconstituted, renamed or replaced or whose powers or functions have been transferred to another entity, is reference to the entity that most closely serves the purposes or objects of the original entity;
- 4.8 Headings and the provision of a table of contents are for convenience only and do not affect the interpretation of this MCP.




PLAN / DOCUMENT AS REQUIRED UNDER CONDITION OF PERMIT

WYNDHAMPSANWY SCHENE

Permit No: WYP10168/17.08

Condition No: 5 Sheet: 8 of 53

Approved by: Benny Singh WYNDHAM CITY COUNCIL Date: 14 March 2019



2401

DESIGNATED VEHICLE CROSSOVER TO LOT (NO OTHER VEHICULAR ACCESS POINT IS PERMITTED TO A LOT, EXCEPT WITH THE APPROVAL OF DEVELOPMENT VICTORIA AND WYNDHAM CITY COUNCIL)

A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET)

CRA SURVEY PTY LTD

LOT NUMBER

LAND SURVEYORS TOWN PLANNERS **DEVELOPMENT CONSULTANTS** 

BUILDING ENVELOPE (FIRST FLOOR)

7A/346 Belmore Road office@crsurvey.com.au Balwyn Vic 3103 Tel: 03 9890 0933

REF: 3936BE24 VERSION: 2 (30.11.18)

DEVELOPMENT VICTORIA

SCALE 1:300

LENGTHS ARE IN METRES


ORIGINAL SHEET SIZE: A3


SHEET 2 OF 13


TIMBARRA DRIVE


RIVERWALK RELEASE 24 **BUILDING ENVELOPE PLANS** 






























PLAN / DOCUMENT AS REQUIRED UNDER CONDITION OF PERMIT


WYNDHAMPLANNING SCHEME


Permit No: WYP10168/17.08


Condition No: 5 Sheet: 19 of 53

Approved by: Benny Singh WYNDHAM CITY COUNCIL Date: 14 March 2019









NOT TO SCALE



BUILDING ENVELOPE (GROUND FLOOR)

BUILDING ENVELOPE (FIRST FLOOR)



REF: 3936BE24

BUILDING ENVELOPE BOUNDARY PROFILE TYPE

VERSION: 2 (30.11.18)

SETBACK MINIMUM REQUIRED (IF NONE SHOWN, A BUILDING CAN BE CONSTRUCTED ON THE BOUNDARY PROVIDED THAT THE BUILDING HEIGHT AND LENGTH REQUIREMENTS ARE MET)



CRA SURVEY PTY LTD

LAND SURVEYORS TOWN PLANNERS DEVELOPMENT CONSULTANTS

7A/346 Belmore Road office@crsurvey.com.au Balwyn Vic 3103 Tel: 03 9890 0933

	DEVEL ODMENT
1///	DEVELOPMENT
	<b>VICTORIA</b>

ORIGINAL SHEET SIZE: A3 SHEET 13 OF 13

RIVERWALK RELEASE 24 BUILDING ENVELOPE PLANS